



## INFORMATION SECURITY- NETWORK SECURITY

### 1.0 **Purpose and Scope**

The objective of this Administrative Regulation is to describe controls required to protect YOSEMITE COMMUNITY COLLEGE DISTRICT (YCCD) information and systems. Network infrastructure must be configured securely in order to protect YCCD systems and maintain network integrity and availability. Effective network security will reduce potential vulnerabilities and help to enforce secure access to YCCD information and technology.

This is one of a series of information security Administrative Regulations maintained by the District Information Technology Services (ITS) department designed to protect YCCD information systems.

#### 1.1 **Applicability of Assets**

This Administrative Regulation applies to all electronic assets that are owned or leased by YCCD, including but not limited to:

- Servers
- Network Infrastructure

#### 1.2 **Applicability to all Employees and Volunteers**

This Administrative Regulation applies to all Board of Trustees authorized/ratified full-time and part-time regular Academic and Classified employees, Substitutes, Short-term (Temporary) staff, Professional Experts, College Work Study students, Student Help and Volunteers who are employed in the YCCD for the purpose of meeting the needs of students.

#### 1.3 **Applicability to External Parties**

This Administrative Regulation applies to all external parties, including but not limited to YCCD business partners, vendors, suppliers, outsource service providers, and other third party entities with access to YCCD networks and system resources.

### 2.0 **Network Security**

District ITS personnel manage and administer YCCD infrastructure and network components.

#### 2.1 **General Network Controls**

System configuration standards are in place for critical network and server components that are managed by District ITS. Standards must address known security vulnerabilities and industry best practices, and provide specifications for “hardening” the native operating system or platform from known security weaknesses.

## INFORMATION SECURITY- NETWORK SECURITY

District ITS must maintain appropriate network documentation, including a high-level network diagram specifically noting inbound and outbound network connections. This must include wireless network components and show connections to all networks, any cardholder data (PCI) locations, and wireless networks.

Network diagrams and configuration details must not be disclosed to unauthorized parties unless identifying IP addresses and names have been removed. The data classification level for sanitized (IP addresses, server names, and other identifying elements removed) diagrams is *Internal*. Unsanitized network diagrams have a data classification of *Restricted*. Refer to the *Data Classification ITS-AR-1504* for classification requirements.

Only necessary and secure services, protocols, daemons, etc., should be enabled as required for the function of the system. For any required services, protocols or daemons that are considered to be insecure, appropriate security features must be enabled. For example, secure technologies such as SSH, S-FTP, SSL, or IPsec VPN should be used to protect insecure services such as NetBIOS, file-sharing, Telnet, FTP, etc.

Documentation and business justification for use of all services, protocols, and ports allowed, including documentation of security features implemented for those protocols considered to be unsecure must be maintained by District ITS.

Vendor-supplied defaults must be changed before installing a system on the network, including but not limited to passwords, simple network management protocol (SNMP) community strings, and elimination of unnecessary accounts.

System security parameters must be configured to prevent misuse. All unnecessary functionality, such as scripts, drivers, features, subsystems, file systems, and unnecessary web servers, must be removed.

Publicly accessible network jacks should be restricted to authorized systems.

### **2.2 External Connections and Firewalls**

District ITS management must approve all new external connections, inbound or outbound, to the YCCD internal network. All connections into and out of the internal network must be documented and managed.

Firewalls must be deployed to restrict inbound and outbound connections to the YCCD network.

New network connections requested to be allowed through YCCD firewalls must be approved by ITS Management and require a business case justification.

Ad-hoc modification of firewall rules can jeopardize the security of YCCD network. Established change control procedures must be followed for all firewall changes.

## INFORMATION SECURITY- NETWORK SECURITY

Where technically possible, firewall rules should be tested prior to implementation.

A review of all firewall and routers must be reviewed every six months. This activity must include a review of the specific ports/services/protocols allowed into the environment and proper documentation of the review.

### **2.3 Wireless Security**

Wireless connectivity is provided as a convenience for staff and students utilizing College campus (MJC East, MJC west and Columbia) and district office wireless implementation. Either a student or YCCD SSID must be entered to gain access.

Any other wireless network implementations must be approved by District IT. Ad-hoc wireless networks are not permitted.

Wireless vendor defaults, including but not limited to default wireless encryption keys, passwords, and SNMP community strings, must be changed prior to implementation.

District ITS will test for the presence of wireless access points and detect unauthorized wireless access points on a quarterly basis.

#### **2.3.1 Wireless Environments and PCI**

Wireless networks are not presently used for applications that may store, process or transmit cardholder data. In the event that wireless is used for any part of this environment, perimeter firewalls must be installed between any wireless networks and the cardholder data environment, and configure these firewalls to deny or control (if such traffic is necessary for business purposes) any traffic from the wireless environment into the cardholder data environment.

For wireless environments connected to the cardholder data environment or transmitting cardholder data, vendor defaults must be changed. This includes but is not limited to default wireless encryption keys, passwords, and SNMP community strings.

### **2.4 Encryption**

Encryption scrambles sensitive information that is stored or transmitted electronically. Cryptographic solutions must adhere to international export laws or any applicable legal or regulatory controls. Encryption must be used at YCCD in the following situations.

#### **2.4.1 Passwords**

All passwords must be encrypted and unreadable. This includes password files for users, firewalls, routers, operating systems, applications, databases, and web servers.

Password or credential files stored on third party platforms must also be encrypted.

## INFORMATION SECURITY- NETWORK SECURITY

### **2.4.2 Restricted Data**

The Data Classification AR describes how data is categorized based on its sensitivity, need for confidentiality, or value to YCCD. Data classified as *Restricted* is the most sensitive category. Its unauthorized disclosure may violate regulations or standards, such as PCI, FERPA, HIPAA or contractual agreements with third parties or service providers.

*Restricted* data may exist in applications, databases or files. Various access controls protect data when in its original location, but when copied, reproduced or transmitted, the original protections are lost. However, the classification and level of protection for a data element must travel with it regardless of its location or format.

Storing *Restricted* data on unencrypted removable devices, personal drives, or various types of USB storage may expose sensitive or confidential data to unauthorized disclosure and is against YCCD administrative regulations. If transporting or storing restricted data must be on a removable device, users must work with District ITS to ensure the data is secure.

If *Restricted* data is copied from its original location (e.g., to other files, removable devices, or on backup media) it must be encrypted. If sent via e-mail or other transmission means on public networks, it must be encrypted.

### **2.4.3 Remote Administrator Access**

Remote access by security, system, or firewall administrators to perform maintenance or troubleshoot problems presents a greater security risk due to the elevated privileges these individuals possess. System Administrators must connect securely using the SSL VPN to ensure that communications with YCCD networks from a remote location are over an encrypted channel. This includes any non-console administrative access. Two-factor authentication is required where technically feasible.

### **2.4.4 Key Management**

Key management procedures must be documented for all processes and procedures involving encryption keys, especially if used for cardholder data. PCI DSS requirements mandate strong keys, secure key distribution and storage, periodic key changes, and other requirements.

## **2.5 Scanning and Vulnerability Management**

District ITS must be informed of information security issues and vulnerabilities applicable to YCCD computing systems. When security issues are identified, District ITS is responsible for notifying appropriate personnel, including system and network administrators and ITS management.

The primary method for identifying new threats as they arise will be through vendor and security Internet mailing lists. YCCD will identify and assign a risk ranking to newly

## INFORMATION SECURITY- NETWORK SECURITY

discovered security vulnerabilities. As appropriate, platform hardening standards must be updated to reflect measures required for protection from any newly discovered vulnerability.

YCCD performs quarterly external vulnerability scans on critical and networks in-scope for PCI compliance. External vulnerability scans are performed by an Approved Scanning Vendor (ASV) as designated by the Payment Card Industry Security Standards Council (PCI SSC).

YCCD performs internal vulnerability scans on a periodic (at least semi-annual) basis or after any significant network changes.

Penetration tests must be performed at least once a year and after any significant infrastructure or application upgrade or modification (such as an operating system upgrade, a sub-network added to the environment, or a web server added to the environment). These penetration tests must include both network-layer and application-layer tests.

### **2.6 Network Time Protocol (NTP)**

All critical system clocks and times must be configured to acquire, distribute, and store a consistent time. All YCCD production systems must be configured to use one of the internal NTP servers to maintain time synchronization with other systems in the environment.

Internal NTP servers will be configured to request time updates from the Internet site <http://time.nist.gov>. Client systems able to retrieve time settings from the NTP server will be limited through Access Control Lists (ACL).

The NTP system will at all times be running the latest available version of the software.

### **2.9 Payment Card Industry (PCI) Requirements**

The following additional network controls are specific to network locations in-scope for PCI:

- Restrict inbound and outbound traffic to that which is necessary for the cardholder data environment.
- Firewall and router configurations must restrict connections between untrusted networks and any system components in the cardholder data environment. An “untrusted network” is any network that is external to the networks belonging to the entity under review, and/or which is out of the entity's ability to control or manage.

## INFORMATION SECURITY- NETWORK SECURITY

- Prohibit direct public access between the Internet and any system component in the cardholder data environment. Do not allow any direct connections inbound or outbound for traffic between the Internet and the cardholder data environment
- Implement a DMZ to limit inbound traffic to only system components that provide authorized publicly accessible services, protocols, and ports. Limit inbound Internet traffic to IP addresses within the DMZ.
- Install a firewall at each Internet connection and between any demilitarized zone (DMZ) and the internal network zone.
  - Do not allow internal addresses to pass from the Internet into the DMZ.
  - Do not allow unauthorized outbound traffic from the cardholder data environment to the Internet.
- Implement stateful inspection, also known as dynamic packet filtering. (That is, only “established” connections are allowed into the network.)
- Place system components that store cardholder data (such as a database) in an internal network zone,
- Where feasible, implement only one primary function per server to prevent functions that require different security levels from co-existing on the same server. (For example, web servers, database servers, and DNS should be implemented on separate servers.)
- Use intrusion-detection systems, and/or intrusion-prevention systems to monitor all traffic at the perimeter of the cardholder data environment as well as at critical points inside of the cardholder data environment, and alert personnel to suspected compromises.
- Never send unprotected PANs by end-user messaging technologies (for example, e-mail, instant messaging, chat, etc.).